91,155 SQ. FT. AVAILABLE FOR LEASE

ZION CHURCH ROAD | SHOEMAKERSVILLE, PA 19555



I-78 ADJACENT | LEHIGH VALLEY CLASS A SPECULATIVE BUILDING DELIVERING MAY 2023





JUSTIN C. CURIS

Vice President, Industrial Development 704.319.8164 jcuris@thekeithcorp.com

BOB KIEL

Kiel Group 610.442.5901 bkiel@kielgroupllc.com

HAMBURG COMMERCE PARK | BUILDING 4

TH NIVIDONC	3 00 111111				10 1					
> FLOOR PLAN										
O 120 0111 21 111	(1)	(2)	3	(4) (5)) (6)	7	8 9) (10)	(11)	12
		100 -0" DIST. BETWEEN EXITS FD ACCESS	1 B	00'-Q" DIST. TWEEN EXITS FD ACCESS	100'-0" DIST. BETWEEN EXITS FD ACCESS	BETWE	-0" DIŞT. EEN EXITS ACCES\$	100'-0" DIST. BETWEEN EXITS FD ACCESS	87'-0" DI BETWEEN E FD ACCES	STXITS
(D)										
		į	į		572	.'-0"				
	20,-(20,-(
<u>C</u>	78 -0 BIST. BENNERN EDTS FD ACCESS	FIRE PUMP ROOM								TSM -0 -85 -0 - RSM -
	.00.	ELEC. ROOM	SLOPE		PROPOSE	D BÜILDIN	1G	SLOPE	.0	[[[]
(B)		j			+/- \$1,555	5 GSF∤RSF		- Weight	160'	
B					··- (\$72' ·x	160)		—		B
	60 - 0 74 - 0 0ST. BENVEN ENTS FD ACCESS			ACTIVE DOCK	FRONT L		0 12' 0" 00			74-0 DIST.
			n n n						μ.	_!!
(A)—		60' RAMP								(A)
		9	74'-0" DIST. SETWEEN EXITS FD ACCESS	100"-0" DIST. BETWEEN EXITS FD ACCESS		87'-7被 DIST. BETWEEN EXITS FD ACCESS	100'-0" DIST. BETWEEN EXITS FD ACCESS	74'+0" DIST. BETWEEN EXITS FD ACCESS		
			İ							
	<u> </u>	52'-0" 52'-0"	52'-0"	52'-0"	52'-0" 52'-		52'-0"	52'-0" 5	2'-0" 52'-0"	
		(2)	(3)	(4) (5) (6)	7-0"	8 9) (10)	(11)	(12)
		(2)	3)	• 3			0	, (10)		
PARCEL		14.807 ACRES			PC	OWER		1,00	0 AMP 277/480V N	MAIN SWITCH BOARD

PARCEL	14.807 ACRES	POWER	1,000 AMP 277/480V MAIN SWITCH BOARD (EXPANDABLE)
BUILDING	91,155 SQ. FT.	FIRE PROTECTION	ESFR SYSTEM WITH DIESEL FIRE PUMP
OFFICE	TO SUIT	HVAC	HEAT AND VENT WITH CODE MIN. AIR CHANGE
DIMENSIONS	160' x 572'	INTERIOR LIGHTING	HI-BAY LED FIXTURES PROVIDING 30FC @ 36" AFF IN OPEN SHELL CONDITION
LOADING CONFIGURATION	FRONT LOAD	DOCK POSITIONS / DRIVE-INS	THIRTY (30) 9' X 10' MANUAL OVERHEAD DOORS (INSULATED W/ SINGLE VIEW PANELS); FIFTEEN (15) EQUIPPED W/ MECHANICAL LEVELERS (45,000LB), BUMPERS, SEALS, AND Z-GUARDS (2) 12' X 14' DRIVE-IN DOORS W/CONCRETE RAMPS
COLUMN SPACING	50' X 52' (TYPICAL); 60' X 52' (SPEED BAY)	TRUCK COURT	130' – 185' HD ASPHALT TRUCK COURT W/ 60' CONCRETE APRON AND 10' CONCRETE DOLLY PADS
CLEAR HEIGHT	32' MIN.	AUTO PARKING	+/-48
ROOF	60 MIL WHITE TPO ROOF (R-18) W/ MECHANICALLY FASTENED MEMBRANE (20-YEAR MANUFACTURER'S WARRANTY)	TRAILER PARKING	+/- 30
FLOOR SLAB	6" UNREINFORCED, 4,000PSI	EXTERIOR LIGHTING	BUILDING MOUNTED LEDS AND LEASED POLE LIGHTING

> SITE PLAN

